

Last update : 8/08/2011


REACH
SAFETY DATA SHEET

Printing date : 3/05/2015

DATA SHEET Nr : 0025c

N° art. :

CLIMAFLEX


1. MATERIAL/PREPARATION AND COMPANY IDENTIFICATION

Product name : CLIMAFLEX

Producter : NMC s.a.
Gert-Noël-Strasse
B-4731 Eynatten

Utilization : Isolation tubes and slabs foaming with alkanes

Emergency : 003287/858500



2. HAZARD IDENTIFICATION

Specific hazards : No immediate hazard

FOR CE : NOT DANGEROUS

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical specification : Polyolefin Thermoplastics **REACH Nr. :** N.C.

Other name : N.C. **CAS Nr. :** N.C.

Dangerous substances *other specifications see section 8*

	Products :	% :	CAS Nr. :	H phrases :			Hazard :	EC Nr. :	REACH Nr.:
1.									
2.									
3.									
4.									
5.									
6.									
7.									
8.									

Phrases H : see section 16

4. FIRST AID

General : N.C.

Inhalation : N.C.

Skin contact : N.C.

Eye contact : N.C.

Ingestion : N.C.

5. FIRE-FIGHTING MEASURES

Unsuitable extinguishing : N.C.

Suitable extinguishing : Water, CO2, powder

Special procedure : N.C.

Special fire hazard : N.C.

Specific protective measures : N.C.

6. ACCIDENTAL RELEASE MEASURES

Individual protective measures : N.C.
Specifications see section 8

Environmental precautions : N.C.

Cleaning procedures : N.C.
Specifications wast see section 13

7. HANDLING AND STORAGE

Handling recommendations : N.C.

Fire hazard : Avoid sparks and open flames

Storage : Do not store in unventilated spaces (< 40 °C)

Packaging to avoid : Unventilated packaging

Adequate packaging : N.C.

8. EXPOSURE CONTROLS / INDIVIDUAL PROTECTION

Last update : 8/08/2011


REACH
SAFETY DATA SHEET

Printing date : 3/05/2015

DATA SHEET Nr : 0025c

N° art. :

CLIMAFLEX

Technical protection :	N.C.
Individual hygiene measures :	N.C.
Exposure limits :	N.C.
Individual protection equipment :	N.C.
Respiratory protection :	N.C.
Hands protection :	N.C.
Eyes protection :	N.C.
Body and skin protection :	N.C.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (20 °) :	Hard foam		
Colour :	gray		
Odour :	N.C.		
pH :	N.C.		
Boiling point (1013 hPa) :	N.C. °c		
Melting point :	100 °c		
Point éclair :	N.C. °c		
Temp. autoinflammation :	N.C. °c		
Lower explosion limit :	0 %	Higher explosion limit :	0 %
Vapour pression (20 °c) :	N.C.		
Density :	± 30 Kg/m3		
Solubility (water) :	Insoluble		

10. STABILITY ET REACTIVITY


Stability :	N.C.
Conditions to avoid :	N.C.
Materials to avoid :	N.C.
Decomposition products :	N.C.

11. TOXICOLOGICAL INFORMATION

Acute toxicity :	N.C.
Toxicity by inhalation :	N.C.
Toxicity by skin contact :	N.C.
Toxicity by eye contact :	N.C.
Toxicity by ingestion :	N.C.
Additional information :	N.C.

12. ENVIRONMENTAL INFORMATION

Informations :	N.C.
Biological degradation :	no signifiant biodegradation
Bio-accumulation :	N.C.
Ecotoxicity :	N.C.



13. DISPOSAL CONSIDERATION

Waste treatment :	Waste may be recycled		
Waste classification EEC :	17 06 04	Waste classification :	N.C.
Packaging treatment :	N.C.		

14. TRANSPORT INFORMATION

UN number :	N.C.	Packaging code :	N.C.	Classification :	N.C.
Transport typ :	N.C.				
ADR/RID classification :	N.C.-N.C.				
IMDG classification :	N.C.				
IATA classification :	N.C.				

Last update : 8/08/2011



Printing date : 3/05/2015

DATA SHEET Nr : 0025c

N° art. :

CLIMAFLEX

Other informations for transport Transport of the product in ventilated trailers only

15.REGULATORY INFORMATION

Contents :

/ / / / / / / /

EEC number :

N.C.

Hazard symbols :

Not hazardous under EEC

H phrases :

--	--	--	--	--	--	--	--	--	--

P phrases :

--	--	--	--	--	--	--	--	--	--

Phrases H et P : see section 16

16.OTHER INFORMATION

Additional information : N.C.

Informations coming from : N.C.

[Phrases H](#)[Phrases P](#)

N.C. : NOT APPLICABLE OR NOT RELEVANT

Considerable efforts were invested in checking the reliability of the above mentioned data.

Neither the author nor the company and the authorities who have provided these informations will be held responsible for any loss or damage resulting from the use of above mentioned informations.