

**SAFETY DATA SHEET****SENTINEL X100**

---

**1 IDENTIFICATION OF PREPARATION AND OF COMPANY****1.1 Identification of the substance or preparation**

Product : SENTINEL X100

**1.2 Use of substance/preparation**

Scale and corrosion inhibitor for central heating systems

**1.3 Company/undertaking identification**

Sentinel Performance Solutions Ltd.  
The Heath Business & Technical Park  
Runcorn  
Cheshire WA7 4QX  
United Kingdom  
Tel: +44 (0) 1928 588 330  
Fax: +44 (0) 1928 588 368

**1.4 Emergency telephone**

+44 (0)1928 588339

Official advisory body :

National Poisons Information Centre  
Medical Toxicology Unit  
Guy's and St. Thomas' NHS Trust  
Avonley Road, London, SE14 5ER  
Tel.: 0207 358 9167, Fax : 0207 771 5309

**2 COMPOSITION / INFORMATION ON INGREDIENTS****Chemical description**

Neutral solution of inorganic and organic scale and corrosion inhibitors

<b>Hazardous component(s)</b>	<b>EINECS/ELINCS #</b>	<b>CAS #</b>	<b>Conc.</b>
Benzotriazole Xn, R20/22-36-52/53	202-394-1	95-14-7	< 2.5 %
Sodium molybdate R52/53	231-551-7	7631-95-0	2.5 - 25 %

**Remarks**

The classification of the above substance(s) is given, including the symbol letters and R phrases which are assigned in accordance with their physicochemical, health and environmental hazards. Please refer to section 16 (Relevant R phrases, used in sections 2 and 3 of this SDS), where the full text of each relevant R phrase is listed.

## SAFETY DATA SHEET

### SENTINEL X100

---

#### 3 HAZARDS IDENTIFICATION

**Important hazards**

- |                          |   |
|--------------------------|---|
| - Health/physical hazard | Not considered hazardous to health.                             |
| - Symptoms of exposure   | Prolonged or repeated contact may cause transient irritation.   |
| - Environmental hazards  | The product is not classified as dangerous for the environment. |

#### 4 FIRST AID MEASURES

- |                     |   |
|---------------------|---|
| <b>Skin contact</b> | Wash with water.                                |
| <b>Eye contact</b>  | Flush immediately with plenty of running water. |
| <b>Inhalation</b>   | Remove to fresh air.                            |
| <b>Ingestion</b>    | Rinse mouth with water.                         |

#### 5 FIRE-FIGHTING MEASURES

**Extinguishing Media**

- |            |   |
|------------|---|
| - Suitable | Carbon dioxide, dry chemicals, foam, water spray (fog). |
|------------|---|

**Special protective equipment for fire fighters**

Self contained breathing apparatus. (CEN : EN 137)  
Protective clothing (CEN : EN 469)  
Protective gloves (CEN : EN 659)  
Helmet (CEN : EN 443)

**Special exposure hazards**

Oxides of carbon, nitrogen and phosphorus evolved in fire.

#### 6 ACCIDENTAL RELEASE MEASURES

**Personal precautions**

Protective clothing  
Please refer also to section no. 8 'Exposure controls' for further information.

**Environmental precautions**

Handle in accordance with good industrial hygiene and safety procedures.  
Accidental release of large quantities into the aquatic environment may harm aquatic organisms.

**Methods for Cleaning Up**

- |           |  |
|-----------|--|
| - on soil | Absorb onto inert material and dispose of according to Controlled Waste Regulations. |
|-----------|--|

#### 7 HANDLING AND STORAGE

**7.1 Handling**

Do not breathe vapours.  
Avoid contact with skin and eyes.

**7.2 Storage**

Keep container tightly closed.  
Store in cool, well ventilated area.

**Maximum storage stability (days)**

270

#### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**SAFETY DATA SHEET****SENTINEL X100**

---

**Exposure limit values**

- WEL (EH40UK) Molybdenum compounds (as Mo) soluble : WEL 5 mg/m<sup>3</sup> (8-hour TWA); 10 mg/m<sup>3</sup> (15-minute)

**Exposure controls**

- Recommended engineering controls Adequate ventilation to maintain air contaminants below exposure limits.
- Respiratory protection In case of insufficient ventilation, use a breathing mask with filter type: P2  
CEN : EN 140; EN 143; EN 149
- Hand protection Protective gloves (Plastic, impervious) (Protection against unintentional short-term contact)  
CEN : EN 420
- Eye protection Safety goggles.  
CEN : EN 166
- Skin protection Protective clothing if splashing or repeated contact with product is likely.  
CEN : EN 340
- Environmental exposure controls Prevent from entering in public sewers or the immediate environment.

**9 PHYSICAL AND CHEMICAL PROPERTIES****9.1 General information**

Appearance Liquid  
Colour Colourless to yellow  
Odour Mild

**9.2 Important health, safety and environmental info**

pH (concentrated product) 7  
Boiling point/range (°C) > 100  
Flash point (Pensky/Martens) > 100  
(°C)  
Density at 20°C (kg/m<sup>3</sup>) 1150  
Solubility in water (% weight) Completely soluble

**9.3 Other information**

Melting point, (°C) - 6

**10 STABILITY AND REACTIVITY**

- 10.1 Conditions to avoid** Protect from freezing.
- 10.2 Materials to avoid** None known.
- 10.3 Hazardous decomposition products** Oxides of carbon, nitrogen and phosphorus evolved in fire.

**11 TOXICOLOGICAL INFORMATION****Mammalian Test Data**

- Oral LD50, rat (mg/kg) > 2000 (estimated value)
- Dermal LD50, rabbit (mg/kg) > 2000 (estimated value)

**SAFETY DATA SHEET****SENTINEL X100**

---

**Exposure hazard**

- Inhalation Prolonged or repeated exposure may cause transient irritation.
- Skin contact Prolonged or repeated contact may cause transient irritation.
- Eye contact Prolonged or repeated contact may cause transient irritation.
- Ingestion May cause slight gastrointestinal irritation.

**12 ECOLOGICAL INFORMATION****Ecotoxicity**

- Fathead minnow (mg/l) LC50 : 4000  
NOEL : 1800  
(Calculated data)  
96 hour Acute Toxicity
- Daphnia Magna (mg/l) LC50 : 3800  
NOEL : 1900  
(Calculated data)  
48 hour Acute Toxicity

**Persistence and degradability** No data available

**Bioaccumulative potential**

- Bioaccumulation Not bioaccumulating  
(Refers to active component) Sodium molybdate

**Summary**

The product is not classified as dangerous for the environment.  
The evaluation of environmental hazards is based on the concentration limits as set out in directive 1999/45/EC.

**13 DISPOSAL CONSIDERATIONS****Disposal of product**

According to Controlled Waste Regulations.

EWC ( European Waste Code ) recommendation : 16 03 06

16 Wastes not otherwise specified in the list.

16 03 Off-specification batches and unused products.

16 03 06 Organic wastes

Depending on the origin and state of the waste, other EWC numbers may be applicable too.

**Disposal of packaging**

According to Controlled Waste Regulations.

EWC ( European Waste Code ) recommendation : 15 01 02

15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified.

15 01 Packaging (including separately collected municipal packaging waste).

15 01 02 Plastic packaging.

Depending on the origin and state of the waste, other EWC numbers may be applicable too.

**14 TRANSPORT INFORMATION**

**Substance id.no. (SIN) (UN No.)** Not applicable.

**Correct shipping name** Not applicable.

**SAFETY DATA SHEET****SENTINEL X100**

---

**Land transport**

- RID/ADR classification                      Not classified under this legislation.

**Maritime transport**

- IMO-IMDG class                                Not classified under this legislation

**Air transport**

- ICAO/IATA classification                      Not classified under this legislation

**15 REGULATORY INFORMATION****EEC labelling information**

- Symbol(s)                                        None.  
- R Phrase(s)                                      No Risk phrases assigned.  
- S Phrase(s)                                      S 2 :Keep out of the reach of children.  
    S 24/25 :Avoid contact with skin and eyes.  
    S 26 :In case of contact with eyes, rinse immediately with plenty of water and seek  
    medical advice.  
    S 28 :After contact with skin, wash immediately with plenty of water.  
- EINECS number                                All ingredients of this product are listed in EINECS or ELINCS, unless specifically  
    exempted under the EEC Directive 67/548/EEC.  
**Other**    Safety Data Sheet available for professional user on request.

**16 OTHER INFORMATION**

**Nature of revision**                                Correction in Section: 1  
**Based on EC Directive**                            1999/45/EC  
    2001/58/EC  
    2001/118/EC  
**Relevant R phrases, used in  
sections 2 and 3 of this SDS**                      R 36 : Irritating to eyes.  
    R 20/22 : Harmful by inhalation and if swallowed.  
    R 52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the  
    aquatic environment.